

## **Product Handling Information Sheet**

## Sustason® PPSU MG green

| info.lahnstein@roechling.com • www.roechling.com/industrial/lah  2. Product details  Product/Article Engineering semi-finished product  Abbreviated terms PPSU  Material Characterisation Thermoplastic  • polyephenylensulfone • contains evtl. colour pigments  Components Subject to labelling none  Classification according to REACh Article  Notes  |  |  |  |  |  |
|---|--|--|--|--|--|
| Product/Article Engineering semi-finished product  Abbreviated terms PPSU  Material Characterisation Thermoplastic  Main Components • polyephenylensulfone • contains evtl. colour pigments  Components Subject to labelling none  Classification according to REACh Article  Notes -  3. Product characteristics  Form/State • solid  Color green  Odour • odourless  Density 1,29  Melting range -  | Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein |  |  |  |  |
| Product/Article Engineering semi-finished product  Abbreviated terms PPSU  Material Characterisation Thermoplastic  Main Components • polyephenylensulfone • contains evtl. colour pigments  Components Subject to labelling none  Classification according to REACh Article  Notes -  3. Product characteristics  Form/State • solid  Color green  Odour • odourless  Density 1,29  Melting range -  |  |  |  |  |  |
| Abbreviated terms  Material Characterisation  Main Components  • polyephenylensulfone • contains evtl. colour pigments  Components Subject to labelling  Classification according to REACh Notes   3. Product characteristics  Form/State  • solid  Color  green  Odour  • odourless  Density  Melting range   Thermoplastic  • polyephenylensulfone • contains evtl. colour pigments  • soliur pigments  • soliur pigments  • solid  • solid  • solid  • odourless |  |  |  |  |  |
| Material Characterisation  Main Components  • polyephenylensulfone • contains evtl. colour pigments  Components Subject to labelling none  Classification according to REACh Notes  |  |  |  |  |  |
| Main Components  • polyephenylensulfone • contains evtl. colour pigments  Components Subject to labelling none  Classification according to REACh Notes   |  |  |  |  |  |
| • contains evtl. colour pigments  Components Subject to labelling  none  Classification according to REACh  Notes  -  3. Product characteristics  Form/State  • solid  Color  green  Odour  • odourless  Density  Melting range  • contains evtl. colour pigments  none  Article  Article  • solid  1,29  Melting range   |  |  |  |  |  |
| Classification according to REACh  Notes  -  3. Product characteristics  Form/State  • solid  Color  green  Odour  • odourless  Density  1,29  Melting range  -   |  |  |  |  |  |
| Notes  -  3. Product characteristics  Form/State  • solid  Color  green  Odour  • odourless  Density  1,29  Melting range  -  |  |  |  |  |  |
| 3. Product characteristics  Form/State • solid  Color green  Odour • odourless  Density 1,29  Melting range -   |  |  |  |  |  |
| Form/State         • solid           Color         green           Odour         • odourless           Density         1,29           Melting range         -   |  |  |  |  |  |
| Form/State         • solid           Color         green           Odour         • odourless           Density         1,29           Melting range         -   |  |  |  |  |  |
| Color         green           Odour         • odourless           Density         1,29           Melting range         -  |  |  |  |  |  |
| Odour  • odourless  Density  1,29  Melting range  -   |  |  |  |  |  |
| Density 1,29 Melting range -  |  |  |  |  |  |
| Melting range -   |  |  |  |  |  |
|   |  |  |  |  |  |
| Glass transition temperature 220  |  |  |  |  |  |
| Thermal decomposition >430 °C   | >430 °C  |  |  |  |  |
| Flash point -   |  |  |  |  |  |





| 3. Product characteristics                      |   |  |  |  |
|---|---|--|--|--|
| Ignition temperature                            | >502 °C   |  |  |  |
| Notes   | <u>-</u>  |  |  |  |
| 4. Danger warnings                              |   |  |  |  |
| Special Risks For Mankind And Th<br>Environment | e none  |  |  |  |
| Notes   | -   |  |  |  |
|   |   |  |  |  |
| 5. Handling and Storage                         |   |  |  |  |
| Handling  | <ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul> |  |  |  |
| Storage   | <ul><li>horizontally</li><li>dry</li><li>protected against climatic influences</li></ul>  |  |  |  |
| Safety measures                                 |   |  |  |  |
| Shelf Life                                      | -   |  |  |  |
| Notes   |   |  |  |  |
|   |   |  |  |  |
| 6. Transport                                    |   |  |  |  |
| Transport                                       | <ul> <li>Not classified as hazardous good under transport regulations.</li> </ul>   |  |  |  |
| Finished Product Packing                        |   |  |  |  |
| Notes   | _   |  |  |  |
|   |   |  |  |  |
| 7. Fire – fighting measures                     |   |  |  |  |
| Suitable extinguishing agents                   | • water   |  |  |  |
|   | • foam  |  |  |  |
|   | dry extinguishing media   |  |  |  |
|   | • CO <sub>2</sub>   |  |  |  |





| Potential combustion products  | carbon monoxide     sulfur dioxide   |
|--------------------------------|--|
|                                | <ul><li>sultur dioxide</li><li>sulfur trioxide</li></ul>   |
| Necessary protection equipment | <ul> <li>Fire fighters and others exposed to combustion products should wear full<br/>protective clothing and self-contained breathing apparatus.</li> </ul> |
| Notes                          | Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.               |

| 8. Removal       |   |  |  |  |  |
|------------------|---|--|--|--|--|
| Recyclability    | Check possibility of recycling.   |  |  |  |  |
| EC Waste Catalog | According the European waste catalogue (EAK) the product is not classified as hazardous.    |  |  |  |  |
| Waste Removal    | Waste disposal by landfill or incineration in compliance with state and local regulations.  |  |  |  |  |
| EC Waste Code    | <ul> <li>12 01 05 plastics shavings and turnings</li> <li>07 02 13 waste plastic</li> </ul> |  |  |  |  |
| Notes            | -   |  |  |  |  |

| 9. Marking and Guidelines            |     |                | _           |  |  |
|--------------------------------------|-----|----------------|-------------|--|--|
| Marking in accordance with Guideline | EEC | not subject to | o labelling |  |  |
| Notes                                |     | -              |             |  |  |

| 10. Information about REACh |   |
|-----------------------------|---|
| Information about REACh     | According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets. |

## 11. Other Information







Other Information

All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.



